

Precision Film Systems

3441 Central Ave
Ashland, KY 41101
6066156491
support@precisionfilmsystems.com
https://precisionfilmsystems.com

Estimate

FYP-00008

Job Type Residential
Film Suntek DRDS 15%

PREPARED FOR

DOCUMENT DETAILS

Date	Sep 24, 2026
Valid until	Oct 24, 2026
Reference	FYP-00008

DESCRIPTION	QUANTITY	AMOUNT
Living room	4	\$445.97
Bedroom 1	4	\$155.00
Bathroom	1	\$31.11
Bedroom 2	2	\$77.50
Bedroom 3	6	\$297.50
Bedroom 4	3	\$191.67
Bedroom 5	5	\$316.67
Shop	18	\$563.89
Waste charge	33.3 sq ft	\$43.96
Removal Fee	6 windows	\$74.38

PROJECT NOTES

Existing film on 3 double hung windows (6 panes) in bedroom 3.

Subtotal	\$2,079.31
Additional fees	\$118.34
Total	\$2,197.65

ADDITIONAL INFORMATION

Deposit Terms

ESTIMATE TERMS

Deposit and Payment Terms

These terms apply when the customer accepts the estimate and authorizes the work described in it.

Deposit

A deposit equal to 25% of the accepted estimate total is due after the customer accepts the estimate and these terms. The project is not scheduled and materials are not ordered or reserved until the required deposit has been received, unless we agree otherwise in writing.

Final payment

The remaining balance, including approved changes and applicable taxes or charges, is due when the installation is substantially complete. Minor warranty or touch-up items that do not prevent normal use of the installed film do not postpone payment. Any different payment schedule must appear in the accepted estimate or another written agreement.

Changes and additional work

Changes to film, quantities, windows, access conditions, or project scope may change the price and schedule.

Work outside the accepted estimate requires customer approval and may be documented through a revised estimate or change order.

Concealed or previously undisclosed conditions may require additional labor or materials. We will explain the issue and obtain approval before performing chargeable work outside the accepted scope whenever reasonably possible.

Cancellation and rescheduling

Deposits are applied to the project total. If the customer cancels or postpones the project, any refund or retained amount will depend on materials ordered, nonreturnable products, work already performed, and other costs reasonably committed to the project. Any project-specific cancellation terms shown in the estimate control.

Acceptance: Accepting the estimate confirms approval of the described scope, price, deposit requirement, payment schedule, and the terms included with the estimate. Past-due balances may pause additional work or warranty service to the extent permitted by applicable law.

ADDITIONAL INFORMATION

Window Film Aftercare Instructions

AFTER INSTALLATION

Window Film Care Instructions

Freshly installed architectural film needs time to dry and bond to the glass. Following these instructions helps protect the installation and finish.

During the drying period

Do not clean, press, peel, pick at, or place adhesive items on the film for at least 30 days.

A light haze, small water pockets, or a slightly uneven appearance can be normal while moisture evaporates. Drying time varies with film type, weather, glass, sun exposure, and indoor conditions and may take several weeks.

Do not attempt to push out moisture or puncture a water pocket. Contact us if an area remains after the expected drying period or if you are unsure whether what you see is normal.

Routine cleaning

Use a clean, soft microfiber cloth or soft synthetic sponge with clean water and a mild, non-abrasive glass cleaner.

Use light pressure. Wipe gently and dry with a clean, soft cloth or rubber squeegee in good condition.

Avoid abrasive powders, scouring pads, stiff brushes, razor blades, scrapers, dirty squeegees, harsh chemicals, and ammonia-heavy cleaners unless the film manufacturer specifically approves them.

Take extra care around film edges. Do not catch an edge with a cloth, tool, fingernail, decoration, suction cup, or removable adhesive product.

Contact us

Contact us before attempting any repair or removal if you notice lifting edges, peeling, bubbling that develops after the drying period, unusual discoloration, or other possible film failure. Keep your invoice and warranty information with your property records.

Glass appearance: Window film changes the way glass absorbs and reflects solar energy. Daytime and nighttime reflectivity, interior and exterior appearance, and perceived shade can vary with lighting conditions. Film reduces ultraviolet exposure and solar heat, but it cannot eliminate all fading or guarantee a specific indoor temperature or energy savings.

ADDITIONAL INFORMATION

Client Preparation Instructions

BEFORE INSTALLATION

How to Prepare for Your Appointment

A clear, safe work area helps us protect your home and complete the installation efficiently. Please finish the items below before the scheduled arrival time.

Clear access to every window

Move furniture, lamps, plants, electronics, décor, and other belongings at least 3 feet away from each window whenever possible.

Remove items from window sills and nearby shelves. Secure fragile or valuable items outside the work area.

Remove curtains, sheers, and valances unless we have agreed in writing to handle them. Raise blinds and shades fully. Let us know in advance if a treatment cannot be moved safely.

Pets, children, and access

Keep pets secured in a separate room or safe area for the entire appointment. Installers may need to open exterior doors repeatedly.

Keep children and other occupants away from active work areas, tools, ladders, and installation solutions.

Provide access to the property, all listed windows, electrical outlets, and a clean water source. Tell us about alarms, gate codes, parking restrictions, or access procedures before arrival.

Window and property conditions

Tell us before installation about damaged glass, failed seals, loose panes, cracked glazing, leaks, or prior film and adhesive.

Do not apply household cleaners, silicone, paint, caulk, or other coatings to the glass immediately before the appointment.

Maintain a reasonable indoor temperature and working environment. Reschedule if construction dust, painting, sanding, or other work could contaminate the installation area.

If the area is not ready: We may need to delay or reschedule the work. Additional labor, return-trip, or rescheduling charges may apply when access or site conditions prevent the scheduled installation.

ADDITIONAL INFORMATION

Suntek Dual Reflective DS Residential Warranty

RESIDENTIAL INSTALLATION

SunTek DRDS 15 Warranty Information

Your installation uses SunTek Dual-ReflectiveDS DRDS 15 architectural window film. This page summarizes how warranty service is handled; the manufacturer-issued warranty document controls the actual coverage.

[Manufacturer limited warranty](#)

SunTek states that its residential solar window films are backed by a manufacturer's limited warranty. For a qualifying residential installation, the applicable warranty is provided under SunTek's written terms and is subject to its eligibility requirements, exclusions, claim procedures, and proof-of-purchase requirements.

[What the customer should keep](#)

The paid invoice or receipt showing the film product and installation date.

The completed SunTek warranty document or warranty registration information supplied for the project.

Photos and a description of the affected glass if a problem develops.

[How to request service](#)

Contact us first and describe the issue before attempting to remove, repair, or alter the film.

Allow us to inspect the affected window or request clear photos so we can determine the appropriate next step.

Warranty claims are evaluated under SunTek's current written warranty. Approval, available remedies, and any exclusions are determined by those terms.

Important: This summary does not create an additional installer warranty or expand SunTek's coverage. Glass breakage, insulated-glass seal failure, scratches, damage caused by the customer or others, improper cleaning, pre-existing glass conditions, and other losses are covered only if expressly included in the written warranty issued for this installation.

Product reference: SunTek Dual-ReflectiveDS DRDS 15. SunTek reports 99% UV rejection and 71% total solar energy rejection for this product; actual results vary with glass type, window construction, orientation, climate, and installation conditions.